



HRS-25 Rebar Straightening Machine (16-25mm)

Rebar straightening machine



■ Product Features

High-power 1200W carbon brush motor Lightning quick straightening - under 5 seconds Industrial strength machine head Lightweight, portable, low noise Straightening efficiency up 30% Bigger oil storage of cylinder

PROSHARP		PRODUCT INFO		
Model	HRS-25	Cutting speed	4-5S	
Туре	Rebar Straightening Machine	Maximum. Rebar	25 mm/0.985 inch	
Color	Red, Blue	Minimal. Rebar	16 mm/0.63 inch	
Power	1200W	Handle length	Pull back 14 CM	
Voltage	220V/110V	Rebar material type	Medium carbon steel, low carbon steel, round steel, thread steel	
PRODUCT SIZE		PACKAGE SIZE		
Length(mm)	675	Length	720	
Width(mm	185	Width	220	
Height(mm)	190	Height(mm)	240	
Weight(kg)	18	Weight(kg)	24	

Toolbox includes: Hydraulic oil can, tool kit, operation manual, inner PE, outer 7-layer corrugated paper



HRS-28 Rebar Straightening Machine (20-28mm)

Rebar straightening machine



■ Product Features

High-power 1250W carbon brush motor Lightning quick straightening - under 5 seconds Industrial strength machine head Lightweight, portable, low noise Straightening efficiency up 30% Bigger oil storage of cylinder

PROSHARP		PRODUCT INFO	
Model	HRS-28	Cutting speed	4-5S
Туре	Rebar Straightening Machine	Maximum. Rebar	28 mm/1.103 inch
Color	Red, Blue	Minimal. Rebar	20 mm/ 0.787 inch
Power	1250W	Handle length	Pull back 19 CM
Voltage	220V/110V	Rebar material type	Medium carbon steel, low carbon steel, round steel, thread steel
PRODUCT SIZE		PACKAGE SIZE	
Length(mm)	720	Length	800
Width(mm	180	Width	300
Height(mm)	195	Height(mm)	215
Weight(kg)	22	Weight(kg)	32

Toolbox includes: Hydraulic oil can, tool kit, operation manual, inner PE, outer 7-layer corrugated paper



HRS-32 Rebar Straightening Machine (22-32mm)

Rebar straightening machine



■ Product Features

High-power 1600W carbon brush motor Lightning quick straightening - under 6 seconds Industrial strength machine head Lightweight, portable, low noise Straightening efficiency up 30% Bigger oil storage of cylinder

PROSHARP		PRODUCT INFO	
Model	HRS-32	Cutting speed	5-6S
Туре	Rebar Straightening Machine	Maximum. Rebar	32 mm/1.26 inch
Color	Red, Blue	Minimal. Rebar	22 mm/0.866 inch
Power	1600W	Handle length	Pull up 20 CM
Voltage	220V/110V	Rebar material type	Medium carbon steel, low carbon steel, round steel, thread steel
PRODUCT SIZE		PACKAGE SIZE	
Length(mm)	400	Length	800
Width(mm	190	Width	215
Height(mm)	230	Height(mm)	300
Weight(kg)	23	Weight(kg)	33

Toolbox includes: Hydraulic oil can, tool kit, operation manual, inner PE, outer 7-layer corrugated paper





- Portable Rebar Cutter
- Portable Rebar Bender
- Rebar Straightening Machine
- Hydraulic Punching Machine
- Cold Cut Saw

Always provide fast technical support and spare parts service within 24 hours, PROSHARP is very grateful for your business and feedback from all over the world. PROSHARP always goes hand in hand with our partners.

PROSHARP TOOL

Wen Zhou Opticar Lighting Co., Ltd.

Tel: +86-577-63786911 Mobile: +86 13915033441

WhatsApp: +86 139 1503 3441 Email: info@prosharptool.com

Add.: No.18-6, Mingshan Road, Kunyang Town,

Pingyang County, Wenzhou City, Zhejiang Province, China

Website: www.prosharptool.com